

X713/75/02

Chemistry Section 1–Questions

THURSDAY, 28 MAY 9:00 AM - 11:00 AM

Instructions for the completion of Section 1 are given on *Page two* of your question and answer booklet X713/75/01.

Record your answers on the answer grid on *Page three* of your question and answer booklet.

Necessary data will be found in the Chemistry Data Booklet for National 5.

Before leaving the examination room you must give your question and answer booklet to the Invigilator; if you do not, you may lose all the marks for this paper.





Downloaded free from https://sqa.my/

SECTION 1


- An atom has 26 protons, 26 electrons and 30 neutrons. The atom has
 - A atomic number 26, mass number 56
 - B atomic number 56, mass number 30
 - C atomic number 30, mass number 26
 - D atomic number 52, mass number 56.
- The table shows the numbers of protons, electrons and neutrons in four particles, W, X, Y and Z.

Particle	Protons	Electrons	Neutrons
W	17	17	18
Х	11	11	12
Y	17	17	20
Z	18	18	18

Which pair of particles are isotopes?

- A W and X
- B W and Y
- C X and Y
- $\mathsf{D} \quad \mathsf{Y} \text{ and } \mathsf{Z}$
- 3. Which of the following particles contains a different number of electrons from the others? You may wish to use the data booklet to help you.
 - A Cl^{-}
 - B S²⁻
 - C Ar
 - D Na⁺


4. Which of the following diagrams shows the apparatus which would allow a soluble gas to be removed from a mixture of gases?




[Turn over

5. Which of the following diagrams could be used to represent the structure of a covalent network?







В



С



D



- 6. What is the charge on the chromium ion in CrCl₃?
 - A 1+
 - B 1-
 - C 3+
 - D 3-

7. The table contains information about calcium and calcium chloride.

	Melting point (°C)	Density (g cm ⁻³)
Calcium	842	1.54
Calcium chloride	772	2.15

When molten calcium chloride is electrolysed at 800 °C the calcium appears as a


- A solid at the bottom of the molten calcium chloride
- B liquid at the bottom of the molten calcium chloride
- C solid on the surface of the molten calcium chloride
- D liquid on the surface of the molten calcium chloride.
- 8. $\boldsymbol{x} \operatorname{Al}(s) + \boldsymbol{y} \operatorname{Br}_2(\ell) \rightarrow \boldsymbol{z} \operatorname{AlBr}_3(s)$

This equation will be balanced when

- A x = 1, y = 2 and z = 1
- B x = 2, y = 3 and z = 2
- C x = 3, y = 2 and z = 3
- D x = 4, y = 3 and z = 4.
- 9. 0.2 mol of a gas has a mass of 12.8 g.Which of the following could be the molecular formula for the gas?
 - A SO₂
 - B CO
 - C CO₂
 - D NH₃

[Turn over

- **10.** Which of the following oxides, when shaken with water, would leave the pH unchanged? You may wish to use the data booklet to help you.
 - A Carbon dioxide
 - B Copper oxide
 - C Sodium oxide
 - D Sulfur dioxide
- 11. Which compound would not neutralise hydrochloric acid?
 - A Sodium carbonate
 - B Sodium chloride
 - C Sodium hydroxide
 - D Sodium oxide




The name of the above compound is


- A 2,3-dimethylpropane
- B 3,4-dimethylpropane
- C 2,3-dimethylpentane
- D 3,4-dimethylpentane.

13. The shortened structural formula for an organic compound is

 $CH_3CH(CH_3)CH(OH)C(CH_3)_3$

Which of the following is another way of representing this structure?






D

[Turn over


14. Three members of the cycloalkene homologous series are



Which of the following is the general formula for this homologous series?

- $A C_n H_{2n-4}$
- B C_nH_{2n+2}
- C C_nH_{2n}
- $D C_n H_{2n-2}$
- **15.** Metallic bonding is a force of attraction between
 - A negative ions and positive ions
 - B a shared pair of electrons and two nuclei
 - C positive ions and delocalised electrons
 - D negative ions and delocalised electrons.

16. Which pair of metals, when connected in a cell, would give the highest voltage and a flow of electrons from X to Y?




You may wish to use the data booklet to help you.


	Metal X	Metal Y
А	zinc	tin
В	tin	zinc
С	copper	magnesium
D	magnesium	copper


[Turn over


17. Part of the structure of a polymer is drawn below.




The monomer used to make this polymer is







С



18. Sodium sulfate solution reacts with barium chloride solution.

 $Na_2SO_4(aq) + BaCl_2(aq) \longrightarrow BaSO_4(s) + 2NaCl(aq)$

The spectator ions present in this reaction are

- A Na⁺ and Cl^{-}
- B Na⁺ and SO_4^{2-}
- C Ba²⁺ and Cl⁻
- D Ba²⁺ and SO₄²⁻.
- **19.** Which of the following solutions would produce a precipitate when mixed together? You may wish to use the data booklet to help you.
 - A Ammonium chloride and potassium nitrate
 - B Zinc nitrate and magnesium sulfate
 - C Calcium nitrate and nickel chloride
 - D Sodium iodide and silver nitrate

[Turn over for Question 20 on Page twelve

20. The table shows the colours of some ionic compounds in solution.

Compound	Colour
copper sulfate	blue
copper chromate	green
potassium chloride	colourless
potassium chromate	yellow

The colour of the chromate ion is

- A blue
- B green
- C colourless
- D yellow.

[END OF SECTION 1. NOW ATTEMPT THE QUESTIONS IN SECTION 2 OF YOUR QUESTION AND ANSWER BOOKLET]

N5	FOR OFFICIAL US National Qualifica 2015				Mar	rk
X713/75/01 THURSDAY, 28 MAY 9:00 AM - 11:00 AM			Sec		And Sea	emistry er Grid ction 2
Fill in these boxes and rea	nd what is prin	nted below.	Tow	n		
Forename(s)	Su	rname			Numbe	r of seat
Date of birth Day Month	Year	Scottish	candida	ate number		

Instructions for the completion of Section 1 are given on *Page two*.

SECTION 2 –60 marks

Attempt ALL questions.

Necessary Data will be found in the Chemistry Data Booklet for National 5.

Write your answers clearly in the spaces provided in this booklet. Additional space for answers and rough work is provided at the end of this booklet. If you use this space you must clearly identify the question number you are attempting. Any rough work must be written in this booklet. You should score through your rough work when you have written your final copy.

Use blue or black ink.

Before leaving the examination room you must give this booklet to the Invigilator; if you do not, you may lose all the marks for this paper.





The questions for Section 1 are contained in the question paper X713/75/02. Read these and record your answers on the answer grid on *Page three* opposite. Use **blue** or **black** ink. Do NOT use gel pens or pencil.

- 1. The answer to each question is **either** A, B, C or D. Decide what your answer is, then fill in the appropriate bubble (see sample question below).
- 2. There is only one correct answer to each question.
- 3. Any rough work must be written in the additional space for answers and rough work at the end of this booklet.

Sample Question

To show that the ink in a ball-pen consists of a mixture of dyes, the method of separation would be


- A fractional distillation
- B chromatography
- C fractional crystallisation
- D filtration.

The correct answer is B-chromatography. The answer B bubble has been clearly filled in (see below).



Changing an answer

If you decide to change your answer, cancel your first answer by putting a cross through it (see below) and fill in the answer you want. The answer below has been changed to **D**.



If you then decide to change back to an answer you have already scored out, put a tick (\checkmark) to the **right** of the answer you want, as shown below:







	Α	В	С	D
1	0	0	0	0
2	0	0	0	0
3	0	0	0	0
4	0	0	0	0
5	0	0	0	0
6	0	0	0	0
7	0	0	0	0
8	0	0	0	0
9	0	0	0	0
10	0	0	0	0
11	0	0	0	0
12	0	0	0	0
13	0	0	0	0
14	0	0	0	0
15	0	0	0	0
16	0	0	0	0
17	0	0	0	0
18	0	0	0	0
19	0	0	0	0
20	0	0	0	0



[BLANK PAGE]

L

DO NOT WRITE ON THIS PAGE



Page four

[Turn over for Question 1 on Page six

DO NOT WRITE ON THIS PAGE



Page five

MARKS DO NOT WRITE IN THIS MARGIN

SECTION 2–60 marks Attempt ALL questions

1. Ethyne is the first member of the alkyne family.

It can be produced by the reaction of calcium carbide with water. The equation for this reaction is

 $CaC_2(s) + 2H_2O(\ell) \longrightarrow C_2H_2(g) + Ca(OH)_2(aq)$

(a) The table shows the results obtained in an experiment carried out to measure the volume of ethyne gas produced.

Time (s)	0	30	60	90	120	150	180	210
<i>Volume of</i> <i>ethyne</i> (cm ³)	0	60	96	120	140	148	152	152


Calculate the average rate of reaction between 60 and 90 seconds.

Your answer must include the appropriate unit.

Show your working clearly.


3








Page seven





Page eight





Page nine

[Turn over

	_		MARKS	DO NOT WRITE IN
4.	Son	ne sources of methane gas contain hydrogen sulfide, H_2S .		THIS MARGIN
	(a)	Draw a diagram, showing all outer electrons, to represent a molecule of hydrogen sulfide, H_2S .	1	
	(b)	If hydrogen sulfide is not removed before methane gas is burned, sulfur dioxide is formed.		
		When sulfur dioxide dissolves in water in the atmosphere, acid rain is produced.		
		Circle the correct words to complete the sentence.		
		Acid rain contains more $\left\{ egin{array}{c} hydrogen \\ hydroxide \end{array} ight\}$ ions than $\left\{ egin{array}{c} hydrogen \\ hydroxide \end{array} ight\}$ ions.	1	
	(c)	In industry, calcium oxide is reacted with sulfur dioxide to reduce the volume of sulfur dioxide released into the atmosphere.		
		Explain why calcium oxide is able to reduce the volume of sulfur dioxide gas released.	2	



5. A researcher investigated the conditions for producing ammonia.

 $N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$

- (a) Name the catalyst used in the production of ammonia.
- (b) In her first experiment she measured how the percentage yield of ammonia varied with pressure at a constant temperature of 500 °C.

Pressure (atmospheres)	100	200	300	400	500
Percentage yield (%)	10	18	26	32	40

Predict the percentage yield of ammonia at 700 atmospheres.

(c) In a second experiment the researcher kept the pressure constant, at 200 atmospheres, and changed the temperature as shown.

Temperature (°C)	200	300	400	500
Percentage yield (%)	89	67	39	18

Describe how the percentage yield varies with temperature.

(d) **Using the information in both tables**, suggest the combination of temperature and pressure that would produce the highest percentage yield of ammonia.



Page eleven

[Turn over

MARKS DO NOT WRITE IN

1

1

1

1

THIS

6. Read the passage below and answer the questions that follow.

Clean coal technology comes a step closer

It is claimed a process called Coal-Direct Chemical Looping (CDCL) is able to release energy from coal while capturing 99% of the carbon dioxide emitted. CDCL works by extracting the energy from coal using a reaction other than combustion.

A mixture of powdered coal and beads of iron(III) oxide is heated inside a metal cylinder. Carbon in the coal and oxygen from the beads react to form carbon dioxide which can be captured for recycling or stored.

This reaction gives off heat energy that could be used to heat water in order to drive electricity-producing steam turbines.

Adapted from Focus: Science and Technology, April 2013

MARKS DO NOT

1

1

1

THIS

MARGIN

(a) The CDCL process produced 300 tonnes of carbon dioxide.


Calculate the mass, in tonnes, of carbon dioxide released into the atmosphere.

(b) Write the ionic formula for the iron compound used in CDCL.

(c) State the term used to describe all chemical reactions that release heat energy.



Page twelve






[Turn over

Page thirteen

MARKS DO NOT WRITE IN THIS MARGIN

8. A student calculated the energy absorbed by water when ethanol is burned using two different methods.



The student recorded the following data.

	Method		
	Α	В	
Mass of ethanol burned (g)	0.2	0.5	
Mass of water heated (g)	100	100	
Initial temperature of water (°C)	24	24	
Final temperature of water (°C)	32	58	

(a) The final temperature of water in method B is higher than in method A.Suggest why there is a difference in the energy absorbed by the water.

1



Page fourteen

8.	(continued)		MARKS	DO NOT WRITE IN THIS MARGIN
		kJ, absorbed by the water in method B . data booklet to help you.	3	
	Show your working clea	arly.		

[Turn over



Page fifteen

MARKS WRITE IN THIS MARGIN

1

- **9.** Aluminium can be extracted from naturally occurring metal compounds such as bauxite.
 - (a) State the term used to describe naturally occurring metal compounds such as bauxite.

(b) Bauxite is refined to produce aluminium oxide.

Electrolysis of molten aluminium oxide produces aluminium and oxygen gas.

The ion-electron equations taking place during the electrolysis of aluminium oxide are

 Al^{3+} + $3e^{-}$ \longrightarrow Al $2O^{2-}$ \longrightarrow O_2 + $4e^{-}$

(i) Write the redox equation for the overall reaction.

1

1

(ii) State why ionic compounds, like aluminium oxide, conduct electricity when molten.



Page sixteen

9.	(continued)	DO NOT WRITE IN THIS MARGIN
	(c) Bauxite contains impurities such as silicon dioxide.Silicon can be extracted from silicon dioxide as shown.	
	SiO ₂ + 2Mg → Si + 2MgO	

Identify the reducing agent in this reaction.

[Turn over

1



Page seventeen

 10. A group of students were given strips of aluminium, iron, tin and zinc.
 MARKS

 Using your knowledge of chemistry, suggest how the students could identify each of the four metals.
 3



Page eighteen

11. Electrons can be removed from all atoms.

The energy required to do this is called the ionisation energy.

The first ionisation energy for an element is defined as the energy required to remove one mole of electrons from one mole of atoms, in the gaseous state.

The equation for the first ionisation energy of chlorine is

 $Cl(g) \longrightarrow Cl^+(g) + e^-$

- (a) State the electron arrangement for the Cl⁺ ion.You may wish to use the data booklet to help you.
- (b) Write the equation for the first ionisation energy of magnesium.
- (c) Information on the first ionisation energy of some elements is given in the table.

Element	First ionisation energy (kJ mol ⁻¹)
lithium	526
fluorine	1690
sodium	502
chlorine	1260
potassium	425
bromine	1150

Describe the trend in the first ionisation energy going down a group in the Periodic Table.



Page nineteen

MARKS DO NOT


1

1

1

THIS

12. The structural formulae of two hydrocarbons are shown.



MARKS DO NOT WRITE IN THIS MARGIN

1

1

(a) Name hydrocarbon A.


(b) Hydrocarbons A and B can be described as isomers.State what is meant by the term isomer.



Page twenty


12. (continued)

(c) Hydrocarbon A can undergo an addition reaction with water to form butan-2-ol as shown.



A similar reaction can be used to produce 3-methylpentan-3-ol.

Draw a structural formula for the hydrocarbon used to form this molecule.




Page twenty-one

MARKS DO NOT WRITE IN THIS MARGIN

1

13. Succinic acid is a natural antibiotic. The structure of succinic acid is shown.




MARKS DO NOT WRITE IN THIS MARGIN

1

1

1

- (a) Name the functional group present in succinic acid.
- (b) Succinic acid can form a polymer with ethane-1,2-diol. The structure of ethane-1,2-diol is shown.



- (i) Name the type of polymerisation which would take place between succinic acid and ethane-1,2-diol.
- (ii) Draw the repeating unit of the polymer formed between succinic acid and ethane-1,2-diol.



. Titanium is the tenth most commonly occurring element in the Earth's crust.	MARKS	DO NOT WRITE IN THIS MARGIN
 (a) The first step in the extraction of titanium from impure titanium oxide involves the conversion of titanium oxide into titanium(IV) chloride. 		
TiO_2 + $2Cl_2$ + $2C$ \longrightarrow $TiCl_4$ + $2X$		
(i) Identify X.	1	
(ii) Titanium(IV) chloride is a liquid at room temperature and does not conduct electricity.		
Suggest the type of bonding that is present in titanium(IV) chloride.	1	
(b) The next step involves separating pure titanium(IV) chloride from other liquid impurities that are also produced during the first step.		
Suggest a name for this process.	1	
(c) The equation for the final step in the extraction of titanium is		
TiCl₄ + 4Na → Ti + 4NaCl		
The sodium chloride produced can be electrolysed.		
Suggest how this could make the extraction of titanium from titanium oxide more economical.	1	

Γ

L




Page twenty-three

[Turn over

15. Vitamin C is found in fruits and vegetables.

MARKS DO NOT WRITE IN THIS MARGIN Using iodine solution, a student carried out titrations to determine the concentration of vitamin C in orange juice.



The results of the titration are given in the table.

Titration	Initial burette reading (cm³)	Final burette reading (cm ³)	<i>Titre</i> (cm³)
1	1.2	18.0	16.8
2	18.0	33.9	15.9
3	0.5	16.6	16.1

(a) Calculate the average volume, in cm³, that should be used in calculating the concentration of vitamin C.

1



Page twenty-four

15. (continued)

MARKS DO NOT WRITE IN THIS MARGIN

3

(b) The equation for the reaction is

 $C_6H_8O_6(aq) + I_2(aq) \longrightarrow C_6H_6O_6(aq) + 2HI(aq)$ vitamin C

Calculate the concentration, in moll⁻¹, of vitamin C in the orange juice. Show your working clearly.

[Turn over for Question 16 on Page twenty-six



Page twenty-five

Γ	16.	MARKS	DO NOT WRITE IN THIS MARGIN	
		Using your knowledge of chemistry , describe how the student could identify the compounds.	3	

[END OF QUESTION PAPER]




L

Page twenty-six

ADDITIONAL SPACE FOR ANSWERS

MARKS DO NOT WRITE IN THIS MARGIN

Question 1(b)





ADDITIONAL SPACE FOR ANSWERS AND ROUGH WORK

MARKS DO NOT WRITE IN THIS MARGIN



Page twenty-eight

ADDITIONAL SPACE FOR ANSWERS AND ROUGH WORK

MARKS DO NOT WRITE IN THIS MARGIN



Page twenty-nine

[BLANK PAGE]

Г

L

DO NOT WRITE ON THIS PAGE



Page thirty

[BLANK PAGE]

L

DO NOT WRITE ON THIS PAGE



Page thirty-one

ACKNOWLEDGEMENT

Question 6 – Text is adapted from original article by **Russell Deeks** published in BBC Focus Magazine $\[mathbb{C}$ Immediate Media Company Bristol Ltd.



Page thirty-two