

## DATA SHEET

### Speed of light in materials

| Material       | Speed in $\text{m s}^{-1}$ |
|----------------|----------------------------|
| Air            | $3.0 \times 10^8$          |
| Carbon dioxide | $3.0 \times 10^8$          |
| Diamond        | $1.2 \times 10^8$          |
| Glass          | $2.0 \times 10^8$          |
| Glycerol       | $2.1 \times 10^8$          |
| Water          | $2.3 \times 10^8$          |

### Gravitational field strengths

|         | Gravitational field strength on the surface in $\text{N kg}^{-1}$ |
|---------|---|
| Earth   | 9.8   |
| Jupiter | 23  |
| Mars    | 3.7   |
| Mercury | 3.7   |
| Moon    | 1.6   |
| Neptune | 11  |
| Saturn  | 9.0   |
| Sun     | 270   |
| Uranus  | 8.7   |
| Venus   | 8.9   |

### Specific latent heat of fusion of materials

| Material       | Specific latent heat of fusion in $\text{J kg}^{-1}$ |
|----------------|--|
| Alcohol        | $0.99 \times 10^5$                                   |
| Aluminium      | $3.95 \times 10^5$                                   |
| Carbon dioxide | $1.80 \times 10^5$                                   |
| Copper         | $2.05 \times 10^5$                                   |
| Iron           | $2.67 \times 10^5$                                   |
| Lead           | $0.25 \times 10^5$                                   |
| Water          | $3.34 \times 10^5$                                   |

### Specific latent heat of vaporisation of materials

| Material       | Specific latent heat of vaporisation in $\text{J kg}^{-1}$ |
|----------------|--|
| Alcohol        | $11.2 \times 10^5$   |
| Carbon dioxide | $3.77 \times 10^5$   |
| Glycerol       | $8.30 \times 10^5$   |
| Turpentine     | $2.90 \times 10^5$   |
| Water          | $22.6 \times 10^5$   |

### Speed of sound in materials

| Material       | Speed in $\text{m s}^{-1}$ |
|----------------|----------------------------|
| Aluminium      | 5200                       |
| Air            | 340                        |
| Bone           | 4100                       |
| Carbon dioxide | 270                        |
| Glycerol       | 1900                       |
| Muscle         | 1600                       |
| Steel          | 5200                       |
| Tissue         | 1500                       |
| Water          | 1500                       |

### Specific heat capacity of materials

| Material  | Specific heat capacity in $\text{J kg}^{-1} \text{ } ^\circ\text{C}^{-1}$ |
|-----------|---|
| Alcohol   | 2350  |
| Aluminium | 902   |
| Copper    | 386   |
| Glass     | 500   |
| Ice       | 2100  |
| Iron      | 480   |
| Lead      | 128   |
| Oil       | 2130  |
| Water     | 4180  |

### Melting and boiling points of materials

| Material  | Melting point in $^\circ\text{C}$ | Boiling point in $^\circ\text{C}$ |
|-----------|-----------------------------------|-----------------------------------|
| Alcohol   | -98                               | 65                                |
| Aluminium | 660                               | 2470                              |
| Copper    | 1077                              | 2567                              |
| Lead      | 328                               | 1737                              |
| Iron      | 1537                              | 2737                              |
| Water     | -                                 | 100                               |

### Radiation weighting factors

| Type of radiation | Radiation weighting factor |
|-------------------|----------------------------|
| alpha             | 20                         |
| beta              | 1                          |
| fast neutrons     | 10                         |
| gamma             | 1                          |
| slow neutrons     | 3                          |
| X-rays            | 1                          |